

LUBRICATING OIL VISCOSITY CONVERSIONS

ISO Viscosity Grade	AGMA Grade (approx.)	SAE Viscosity # (approx.)	SAE Gear Lubricant # (approx.)	Viscosity SUS @ 104° F (approx.)	Viscosity SUS @ 210° F (approx.)	Viscosity Centistokes Cst @ 104° F
32	--	10W	75W	150	40	28.8 – 35.2
46	1	10	--	215	43	41.4 – 50.6
68	2	20	80W	315	50	61.2 – 74.8
100	3	30	--	465	60	90.0 – 110
150	4	40	85W	700	75	135 – 165
220	5	50	90	1000	95	198 – 242
320	6	60	--	1500	110	288 – 352
460	7	70	140	2150	130	414 – 506